AIR PILLOW PACKAGING SYSTEMS



CIRRUS Machines

Innovative, Efficient And Reliable Product Protection.



SIMPLE. INGENIOUS. ROBUST.

Airworks[®] films and machines are developed under a single roof. And they employ a brilliant principle: AirStop Technology – The seams on the air pillows are not fused through all layers; only the insides of the film are joined together. The structure of the sturdy outer material remains unaffected. The seams do not constitute a weak point which, in turn, guarantees the highest density and durability. But the Airworks® machines also benefit: they do not possess any wearing parts and are essentially maintenance-free.

Four machines for all requirements

The CIRRUS series includes four machines for all applications – from small-scale internet retail businesses to large-scale logistics enterprises. This means that we are able to offer the bestpossible price-performance ratio.

Airworks[®] machines are built to the highest standard of construction traditions. Air volume levels and sealing temperatures are adjustable on all models. In order to support efficient workflows, the machines of the CIRRUS series can be easily expanded with appropriate accessories. Everything is perfectly coordinated. The Airworks® modular principle allows for a

great many different combinations to be created, right up to a fully automated multi-user system.

CIRRUS 45

Performance:	4.5 meters/minute that means max. 45 air pillows/min.
Sizes:	450 x 480 x 220mm (L x W x H) 18 x 19 x 9 inches (L x W x H)
Weight:	9.5 kg / 21 lbs (500m roll holder) 6.0 kg / 13 lbs (100m roll holder)
Films:	CIRRUS films up to 230mm (8 inches) wide





Small but powerful machine that may be easily transported and stored.

The **CIRRUS 45** is available either with roll holders for 500-meter rolls (1640-feet rolls) or for 100-meter rolls (328-feet rolls).

Performance:	8.0 meters/minute that means max. 80 air pillows/min.
Sizes:	450 x 480 x 240mm (L x W x H) 18 x 19 x 10 inches (L x W x H)
Neight:	11.5kg / 25lbs
Films:	CIRRUS films up to 230mm (8 inches) wide



CIRRUS 80 and **CIRRUS 160** – Powerful machines for industrial applications. With electronic counter and signal input for optionally hooking up filling-level sensors or foot switches. Both machines may be upgraded and turned into fully automated multi-user systems.

ionnance.	that means max. 80 air pillows/min.
es:	540 x 640 x 240mm (L x W x H) 29 x 20 x 10 inches (L x W x H)
ight:	13.5kg/30lbs
ns:	CIRRUS films: 300 to 400mm wide

Siz

Fil





16.0 meters/minute that means max. 160 air pillows/min.
450 x 480 x 240mm (L x W x H) 18 x 19 x 10 inches (L x W x H)
11.5kg / 25lbs
CIRRUS films up to 230mm (8 inches) wide

CIRRUS Maxx - the strong machine

Powerful machine for industrial applications. Its special high-performance fan makes it possible to process CIRRUS film widths from 300 to 400 mm (4 to 16 inches).

With electronic counter and signal input for optionally hooking up filling-level sensors or foot switches.

A Passion For Protection And Service



At Airworks[®], designing and delivering highreliability air-based packaging solutions is all we do. Our culture of innovation encourages individual imagination and a desire to create not just for our future, but also for yours. Breakthrough air-based technology and high-value customer service are our drivers. Contact us today to learn more.



GERMANY

Hanns Loersch GmbH & Co. KG Loersch Corporation USA An der Bleiche 49 47638 Straelen Tel.: +49-(0)2834-9131-0 Fax: +49-(0)2834-6257 www.airworks.biz info@airworks.biz

USA

1530 East Race St Allentown · PA 18109 Fon: +1-610-264-5641 Fax: +1-610-266-0330 www.airworks.biz info@airworks.biz

DB-M-E-092010-A